

2014 - 15 BCIA Southwest Virginia Senior
Simmental and Simmental Hybrid Ultrasound Report

| TEST ID | REG NO | TATTOO | SCAN WT | IMF | IMF | IMF HERD | IMF TEST | BF | BF | BF HERD | BF TEST | REA | REA | REA HERD | REA TEST | CARCASS EPDS | | | | | | | | | |
|---------------------------|---------|--------|---------|------|------|----------|----------|------|------|---------|---------|------|-------|----------|----------|--------------|------|--------|------|------|------|--------|------|---------|------|
| | | | ADJ | ACT | ADJ | RATIO | RATIO | ACT | ADJ | RATIO | RATIO | ACT | ADJ | RATIO | RATIO | C WT | ACC | YG EPD | ACC | MARB | ACC | B FAT | ACC | REA EPD | ACC |
| Purebred Simmental | | | | | | | | | | | | | | | | | | | | | | | | | |
| 401 | 2843979 | AT4K | 1237 | 2.87 | 2.74 | 99 | 113 | 0.13 | 0.11 | 65 | 87 | 15.0 | 14.03 | 94 | 100 | 40.2 | 0.22 | -0.40 | 0.18 | 0.38 | 0.20 | -0.088 | 0.20 | 0.93 | 0.20 |
| 402 | 2843930 | A94K | 1230 | 2.93 | 2.83 | 103 | 116 | 0.13 | 0.12 | 71 | 95 | 17.3 | 16.50 | 110 | 118 | 39.5 | 0.22 | -0.51 | 0.18 | 0.37 | 0.20 | -0.090 | 0.20 | 1.24 | 0.19 |
| 403 | 2860291 | 111A | 1044 | 2.11 | 2.15 | 100 | 88 | 0.08 | 0.08 | 100 | 63 | 13.9 | 14.22 | 100 | 102 | 42.6 | 0.19 | -0.41 | 0.17 | 0.24 | 0.21 | -0.069 | 0.21 | 1.14 | 0.19 |
| 404 | 2870801 | 119A | 1104 | 2.95 | 2.99 | 100 | 123 | 0.09 | 0.09 | 100 | 71 | 14.4 | 14.71 | 100 | 105 | 44.6 | 0.20 | -0.37 | 0.17 | 0.42 | 0.21 | -0.075 | 0.21 | 0.98 | 0.19 |
| 405 | 2871726 | 3087A | 956 | 1.83 | 1.71 | 64 | 70 | 0.13 | 0.11 | 69 | 87 | 12.0 | 11.11 | 94 | 79 | 27.4 | 0.21 | -0.30 | 0.18 | 0.12 | 0.20 | -0.057 | 0.20 | 0.69 | 0.19 |
| 406 | 2824776 | A369 | 1270 | 2.10 | 1.94 | | 80 | 0.16 | 0.14 | | 111 | 15.3 | 14.08 | | 101 | 41.9 | 0.17 | -0.18 | 0.11 | 0.00 | 0.10 | -0.053 | 0.13 | 0.55 | 0.10 |
| 407 | 2824782 | A372 | 1205 | 2.92 | 2.78 | | 114 | 0.19 | 0.17 | | 135 | 16.4 | 15.31 | | 109 | 41.9 | 0.17 | -0.18 | 0.11 | 0.00 | 0.10 | -0.053 | 0.13 | 0.55 | 0.10 |
| 408 | 2824778 | A370 | 1310 | 2.45 | 2.30 | | 95 | 0.21 | 0.19 | | 150 | 13.1 | 11.92 | | 85 | 15.1 | 0.19 | -0.29 | 0.14 | 0.23 | 0.16 | -0.021 | 0.15 | 0.79 | 0.15 |
| Test Group Avg. | | | 1170 | 2.52 | 2.43 | | | 0.14 | 0.13 | | | 14.7 | 13.99 | | | | | | | | | | | | |
| Std. Dev. | | | 122 | 0.46 | 0.47 | | | 0.05 | 0.04 | | | 1.7 | 1.74 | | | | | | | | | | | | |
| Simmental Hybrids | | | | | | | | | | | | | | | | | | | | | | | | | |
| 438 | 2843963 | AU8H | 1233 | 2.91 | 2.78 | 101 | 96 | 0.23 | 0.21 | 124 | 130 | 15.1 | 14.07 | 94 | 111 | 39.9 | 0.21 | -0.18 | 0.19 | 0.33 | 0.22 | -0.030 | 0.22 | 0.70 | 0.22 |
| 439 | 2843948 | AU21 | 1199 | 2.81 | 2.68 | 97 | 92 | 0.24 | 0.22 | 129 | 136 | 16.4 | 15.39 | 103 | 121 | 25.2 | 0.20 | -0.31 | 0.19 | 0.37 | 0.22 | -0.040 | 0.22 | 0.83 | 0.22 |
| 440 | 2860310 | 30A | 891 | 4.02 | 4.05 | 156 | 140 | 0.09 | 0.09 | 90 | 56 | 10.9 | 11.13 | 86 | 88 | 41.0 | 0.21 | -0.08 | 0.16 | 0.95 | 0.17 | -0.025 | 0.18 | 0.44 | 0.16 |
| 441 | 2860307 | 60A | 997 | 1.92 | 1.96 | 76 | 68 | 0.11 | 0.12 | 120 | 74 | 13.6 | 13.89 | 108 | 109 | 31.0 | 0.19 | -0.41 | 0.17 | 0.29 | 0.21 | -0.069 | 0.21 | 0.99 | 0.19 |
| 442 | 2860311 | 63A | 1159 | 1.76 | 1.75 | 68 | 60 | 0.11 | 0.11 | 110 | 68 | 13.8 | 13.75 | 106 | 108 | 43.7 | 0.20 | -0.43 | 0.18 | 0.05 | 0.21 | -0.085 | 0.22 | 1.08 | 0.19 |
| 443 | 2871750 | 3040A | 936 | 3.03 | 2.87 | 82 | 99 | 0.09 | 0.09 | 53 | 56 | 13.1 | 11.86 | 96 | 93 | 19.7 | 0.20 | -0.31 | 0.19 | 0.64 | 0.22 | -0.048 | 0.22 | 0.71 | 0.22 |
| 444 | 2871765 | 3062A | 953 | 3.40 | 3.26 | 94 | 112 | 0.30 | 0.28 | 165 | 173 | 12.5 | 11.41 | 93 | 90 | 28.7 | 0.19 | -0.05 | 0.19 | 0.76 | 0.22 | 0.023 | 0.22 | 0.56 | 0.22 |
| 445 | 2871744 | 3050A | 1017 | 3.49 | 3.33 | 125 | 115 | 0.18 | 0.16 | 100 | 99 | 13.3 | 12.11 | 102 | 95 | 32.6 | 0.19 | -0.29 | 0.17 | 0.61 | 0.20 | -0.036 | 0.20 | 0.89 | 0.19 |
| 446 | 2871751 | 3072A | 945 | 2.54 | 2.42 | 91 | 83 | 0.13 | 0.11 | 69 | 68 | 13.5 | 12.55 | 106 | 99 | 29.3 | 0.20 | -0.27 | 0.18 | 0.53 | 0.22 | -0.026 | 0.21 | 0.88 | 0.21 |
| 447 | 2871740 | 3049A | 994 | 3.86 | 3.70 | 106 | 127 | 0.18 | 0.16 | 94 | 99 | 14.1 | 12.91 | 105 | 102 | 44.1 | 0.19 | -0.17 | 0.17 | 0.79 | 0.20 | -0.024 | 0.21 | 0.77 | 0.19 |
| 448 | 2871749 | 3083A | 901 | 3.06 | 2.94 | 111 | 101 | 0.21 | 0.19 | 119 | 117 | 12.7 | 11.80 | 100 | 93 | 39.2 | 0.20 | -0.09 | 0.17 | 0.67 | 0.20 | 0.003 | 0.20 | 0.67 | 0.18 |
| 449 | 2871734 | 3093A | 952 | 3.37 | 3.26 | 123 | 112 | 0.21 | 0.19 | 119 | 117 | 12.7 | 11.85 | 100 | 93 | 29.8 | 0.20 | -0.28 | 0.19 | 0.61 | 0.22 | -0.030 | 0.22 | 0.89 | 0.21 |
| 450 | 2871741 | 3116A | 990 | 2.36 | 2.28 | 86 | 79 | 0.21 | 0.20 | 125 | 124 | 12.1 | 11.52 | 97 | 91 | 26.7 | 0.18 | -0.14 | 0.16 | 0.49 | 0.18 | -0.013 | 0.20 | 0.55 | 0.17 |
| 451 | 2871764 | 3097A | 1046 | 4.18 | 4.08 | 117 | 141 | 0.18 | 0.17 | 100 | 105 | 13.8 | 13.01 | 106 | 102 | 33.2 | 0.14 | -0.20 | 0.13 | 0.83 | 0.15 | -0.028 | 0.16 | 0.69 | 0.14 |
| 452 | 2849944 | A325 | 1022 | 2.77 | 2.68 | 106 | 92 | 0.20 | 0.19 | 136 | 117 | 14.1 | 13.41 | 103 | 106 | 33.3 | 0.28 | -0.48 | 0.23 | 0.23 | 0.38 | -0.091 | 0.21 | 1.06 | 0.29 |
| 453 | 2849940 | A309 | 976 | 2.56 | 2.40 | 94 | 83 | 0.12 | 0.10 | 71 | 62 | 13.9 | 12.66 | 97 | 100 | 41.0 | 0.28 | -0.53 | 0.22 | 0.19 | 0.38 | -0.120 | 0.20 | 1.09 | 0.29 |
| Test Group Avg. | | | 1013 | 3.00 | 2.90 | | | 0.17 | 0.16 | | | 13.5 | 12.71 | | | | | | | | | | | | |
| Std. Dev. | | | 101 | 0.70 | 0.68 | | | 0.06 | 0.05 | | | 1.2 | 1.17 | | | | | | | | | | | | |